

Rensets and Renaming-Based Recursion for Syntax with Bindings

Andrei Popescu

Department of Computer Science, University of Sheffield, UK

Abstract. I introduce *renaming-enriched sets* (*rensets* for short), which are algebraic structures axiomatizing fundamental properties of renaming (also known as variable-for-variable substitution) on syntax with bindings. Rensets compare favorably in some respects with the well-known foundation based on nominal sets. In particular, renaming is a more fundamental operator than the nominal swapping operator and enjoys a simpler, equationally expressed relationship with the variable-freshness predicate. Together with some natural axioms matching properties of the syntactic constructors, renssets yield a truly minimalistic characterization of λ -calculus terms as an abstract datatype—one involving an infinite set of *unconditional equations*, referring only to the most fundamental term operators: the constructors and renaming. This characterization yields a recursion principle, which (similarly to the case of nominal sets) can be improved by incorporating Barendregt’s variable convention. When interpreting syntax in semantic domains, my renaming-based recursor is easier to deploy than the nominal recursor. My results have been validated with the proof assistant Isabelle/HOL.

1 Introduction

Formal reasoning about syntax with bindings is necessary for the meta-theory of logics, calculi and programming languages, and is notoriously error-prone. A great deal of research has been put into formal frameworks that make the specification of, and the reasoning about bindings more manageable.

Researchers wishing to formalize work involving syntax with bindings must choose a paradigm for representing and manipulating syntax—typically a variant of one of the “big three”: nameful (sometimes called “nominal” reflecting its best known incarnation, nominal logic [23,39]), nameless (De Bruijn) [13,4,48,50] and higher-order abstract syntax (HOAS) [35,28,34,20,19]. Each paradigm has distinct advantages and drawbacks compared with each of the others, some discussed at length, e.g., in [9], [1] and [25, §8.5]. And there are also hybrid approaches, which combine some of the advantages [14,42,18,46].

A significant advantage of the nameful paradigm is that it stays close to the way one informally defines and manipulates syntax when describing systems in textbooks and research papers—where the binding variables are explicitly indicated. This can in principle ensure transparency of the formalization and allows the formalizer to focus on the high-level ideas. However, it only works if the technical challenge faced by the nameful paradigm is properly addressed: enabling the seamless definition and manipulation of concepts “up to alpha-equivalence”,

i.e., in such a way that the names of the bound variables are (present but nevertheless) inconsequential. This is particularly stringent in the case of recursion due to the binding constructors of terms not being free, hence not being *a priori* traversable recursively—in that simply writing some recursive clauses that traverse the constructors is not *a priori* guaranteed to produce a correct definition, but needs certain favorable conditions. The problem has been addressed by researchers in the form of tailored *nameful recursors* [23,39,56,55,33,43], which are theorems that identify such favorable conditions and, based on them, guarantee the existence of functions that recurse over the non-free constructors.

In this paper, I make a contribution to the nameful paradigm in general, and to nameful recursion in particular. I introduce *rensets*, which are algebraic structures axiomatizing the properties of renaming, also known as variable-for-variable substitution, on terms with bindings (Section 3). Rensets differ from nominal sets (Section 2.2), which form the foundation of nominal logic, by their focus on (not necessarily injective) renaming rather than swapping (or permutation). Similarly to nominal sets, rensets are pervasive: Not only do the variables and terms form rensets, but so do any container-type combinations of rensets.

While lacking the pleasant symmetry of swapping, my axiomatization of renaming has its advantages. First, renaming is more fundamental than swapping because, at an abstract axiomatic level, renaming can define swapping but not vice versa (Section 4). The second advantage is about the ability to define another central operator: the variable freshness predicate. While the definability of freshness from swapping is a signature trait of nominal logic, my renaming-based alternative fares even better: In rensets freshness has a simple, first-order definition (Section 3). This contrasts the nominal logic definition, which involves a second-order statement about (co)finiteness of a set of variables. The third advantage is largely a consequence of the second: Rensets enriched with constructor-like operators facilitate an equational characterization of terms with bindings (using an infinite set of unconditional equations), which does not seem possible for swapping (Section 5.1). This produces a recursion principle (Section 5.2) which, like the nominal recursor, caters for Barendregt’s variable convention, and in some cases is easier to apply than the nominal recursor—for example when interpreting syntax in semantic domains (Section 5.3).

In summary, I argue that my renaming-based axiomatization offers some benefits that strengthen the arsenal of the nameful paradigm: a simpler representation of freshness, a minimalistic equational characterization of terms, and a convenient recursion principle. My results are established with high confidence thanks to having been mechanized in Isabelle/HOL [32]. The mechanization is available [44] from Isabelle’s Archive of Formal Proofs.

Here is the structure of the rest of this paper: Section 2 provides background on terms with bindings and on nominal logic. Section 3 introduces rensets and describes their basic properties. Section 4 establishes a formal connection to nominal sets. Section 5 discusses substitutive-set-based recursion. Section 6 discusses related work. The appendix includes more examples and results, details on nominal sets, and a discussion of my Isabelle formalization.

2 Background

This section recalls the terms of λ -calculus and their basic operators (§2.1), and aspects of nominal logic including nominal sets and nominal recursion (§2.2).

2.1 Terms with bindings

I work with the paradigmatic syntax of (untyped) λ -calculus. However, my results generalize routinely to syntaxes specified by arbitrary binding signatures such as the ones in [22, §2], [39], [58] or [12].

Let Var be a countably infinite set of variables, ranged over by x, y, z etc. The set Trm of λ -terms (or *terms* for short), ranged over by t, t_1, t_2 etc., is defined by the grammar

$$t ::= \text{Vr } x \mid \text{Ap } t_1 t_2 \mid \text{Lm } x t$$

with the proviso that terms are equated (identified) modulo alpha-equivalence (also known as naming equivalence). Thus, for example, if $x \neq z \neq y$ then $\text{Lm } x (\text{Ap } (\text{Vr } x) (\text{Vr } z))$ and $\text{Lm } y (\text{Ap } (\text{Vr } y) (\text{Vr } z))$ are considered to be the same term. I will often omit Vr when writing terms, as in, e.g., $\text{Lm } x x$.

What the above specification means is (something equivalent to) the following: One first defines the set PTrm of *pre-terms* as freely generated by the grammar $p ::= \text{PVr } x \mid \text{PAp } p_1 p_2 \mid \text{PLm } x p$. Then one defines the alpha-equivalence relation $\equiv : \text{PTrm} \rightarrow \text{PTrm} \rightarrow \text{Bool}$ inductively, proves that it is an equivalence, and defines Trm by quotienting PTrm to alpha-equivalence, i.e., $\text{Trm} = \text{PTrm} / \equiv$. Finally, one proves that the pre-term constructors are compatible with \equiv , and defines the term counterpart of these constructors: $\text{Vr} : \text{Var} \rightarrow \text{Trm}$, $\text{Ap} : \text{Trm} \rightarrow \text{Trm} \rightarrow \text{Trm}$ and $\text{Lm} : \text{Var} \rightarrow \text{Trm} \rightarrow \text{Trm}$.

The above constructions are technical, but well-understood, and can be fully automated for an arbitrary syntax with bindings (not just that of λ -calculus); and tools such as the Isabelle/Nominal package [59,58] provide this automation, hiding pre-terms completely from the end user. In formal and informal presentations alike, one usually prefers to forget about pre-terms, and work with terms only. This has several advantages, including (1) being able to formalize concepts at the right abstraction level (since in most applications the naming of bound variables should be inconsequential) and (2) the renaming operator being well-behaved. However, there are some difficulties that need to be overcome when working with terms, and in this paper I focus on one of the major ones: providing recursion principles, i.e., mechanisms for defining functions by recursing over terms. This difficulty arises essentially because, unlike in the case of pre-term constructors, the binding constructor for terms is not free.

The main characters of my paper will be (generalizations of) some common operations and relations on Trm , namely:

- the constructors $\text{Vr} : \text{Var} \rightarrow \text{Trm}$, $\text{Ap} : \text{Trm} \rightarrow \text{Trm} \rightarrow \text{Trm}$ and $\text{Lm} : \text{Var} \rightarrow \text{Trm} \rightarrow \text{Trm}$
- (capture-avoiding) renaming, also known as (capture-avoiding) substitution of variables for variables $_[_/_] : \text{Trm} \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow \text{Trm}$; e.g., we have $(\text{Lm } x (\text{Ap } x y)) [x/y] = \text{Lm } x' (\text{Ap } x' x)$

- swapping $_[_\wedge_]$: $\text{Trm} \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow \text{Trm}$; e.g., we have $(\text{Lm } x (\text{Ap } x y)) [x \wedge y] = \text{Lm } y (\text{Ap } y x)$
- the free-variable operator $\text{FV} : \text{Trm} \rightarrow \text{Pow}(\text{Var})$ (where $\text{Pow}(\text{Var})$ is the powerset of Var); e.g., we have $\text{FV}(\text{Lm } x (\text{Ap } y x)) = \{y\}$
- freshness $_ \# _ : \text{Var} \rightarrow \text{Trm} \rightarrow \text{Bool}$; e.g., we have $x \# (\text{Lm } x x)$; and assuming $x \neq y$, we have $\neg x \# (\text{Lm } y x)$

The free-variable and freshness operators are of course related: A variable x is fresh for a term t (i.e., $x \# t$) if and only if it is not free in t (i.e., $x \notin \text{FV}(t)$). The renaming operator $_[_/_]$: $\text{Trm} \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow \text{Trm}$ substitutes (in terms) *variables* for variables, not terms for variables. (But an algebraization of term-for-variable substitution is discussed in Appendix D.)

2.2 Background on nominal logic

I will employ a formulation of nominal logic [39,56,38] that does not require any special logical foundation, e.g., axiomatic nominal set theory. For simplicity, I prefer the swapping-based formulation [38] to the equivalent permutation-based formulation—Appendix C gives details on these two alternatives.

A *pre-nominal set* is a pair $\mathcal{A} = (A, _[_\wedge_])$ where A is a set and $_[_\wedge_]$: $A \rightarrow \text{Perm} \rightarrow A$ is a function called *the swapping operator of \mathcal{A}* satisfying the following properties for all $a \in A$ and $x, x_1, x_2, y_1, y_2 \in \text{Var}$:

$$\text{Identity: } a[x \wedge x] = a$$

$$\text{Involution: } a[x_1 \wedge x_2][x_1 \wedge x_2] = a$$

$$\text{Compositionality: } a[x_1 \wedge x_2][y_1 \wedge y_2] = a[y_1 \wedge y_2][(x_1[y_1 \wedge y_2]) \wedge (x_2[y_1 \wedge y_2])]$$

Given a pre-nominal set $\mathcal{A} = (A, _[_\wedge_])$, an element $a \in A$ and a set $X \subseteq \text{Var}$, one says that *a is supported by X* if $a[x \wedge y] = a$ holds for all $x, y \in \text{Var}$ such that $x, y \notin X$. An element $a \in A$ is called *finitely supported* if there exists a finite set $X \subseteq \text{Var}$ such that a is supported by X . A *nominal set* is a pre-nominal set $\mathcal{A} = (A, _[_\wedge_])$ such that every element of a is finitely supported. If $\mathcal{A} = (A, _[_\wedge_])$ is a nominal set and $a \in A$, then the smallest set $X \subseteq \text{Var}$ such that a is supported by X exists, and is denoted by $\text{supp}^{\mathcal{A}} a$ and called the *support of a* . One calls a variable x *fresh for a* , written $x \# a$, if $x \notin \text{supp}^{\mathcal{A}} a$.

An alternative, more direct definition of freshness (which is preferred, e.g., by Isabelle/Nominal [59,58]) is provided by the following proposition:

Prop 1 For any nominal set $\mathcal{A} = (A, _[_\wedge_])$ and any $x \in \text{Var}$ and $a \in A$, it holds that $x \# a$ if and only if the set $\{y \mid a[y \wedge x] \neq a\}$ is finite.

Given two pre-nominal sets $\mathcal{A} = (A, _[_\wedge_])$ and $\mathcal{B} = (B, _[_\wedge_])$, the set $F = (A \rightarrow B)$ of functions from A to B becomes a pre-nominal set $\mathcal{F} = (F, _[_\wedge_])$ by defining $f[x \wedge y]$ to send each $a \in A$ to $(f(a[x \wedge y]))[x \wedge y]$. \mathcal{F} is not a nominal set because not all functions are finitely supported (though of course one obtains a nominal set by restricting to finitely supported functions).

The set of terms together with their swapping operator, $(\text{Trm}, _[_\wedge_])$, forms a nominal set, where the support of a term is precisely its set of free variables.

However, the power of nominal logic resides in the fact that not only the set of terms, but also many other sets can be organized as nominal sets—including the target domains of many functions one may wish to define on terms. This gives rise to a convenient mechanism for defining functions recursively on terms:

Theorem 2 [39] Let $\mathcal{A} = (A, _[_])$ be a nominal set and let $\text{Vr}^{\mathcal{A}} : \text{Var} \rightarrow A$, $\text{Ap}^{\mathcal{A}} : A \rightarrow A \rightarrow A$ and $\text{Lm}^{\mathcal{A}} : \text{Var} \rightarrow A \rightarrow A$ be some functions, all supported by a finite set X of variables and with $\text{Lm}^{\mathcal{A}}$ satisfying the following freshness condition for binders (FCB): There exists $x \in \text{Var}$ such that $x \notin X$ and $x \# \text{Lm}^{\mathcal{A}} x a$ for all $a \in A$.

Then there exists a unique function $f : \text{Trm} \rightarrow A$ that is supported by X and such that the following hold for all $x \in \text{Var}$ and $t_1, t_2, t \in \text{Trm}$:

- (i) $f(\text{Vr } x) = \text{Vr}^{\mathcal{A}} x$
- (ii) $f(\text{Ap } t_1 t_2) = \text{Ap}^{\mathcal{A}} (f t_1) (f t_2)$
- (iii) $f(\text{Lm } x t) = \text{Lm}^{\mathcal{A}} x (f t)$ if $x \notin X$

A useful feature of nominal recursion is the support for Barendregt’s famous *variable convention* [8][p. 26]: “If [the terms] t_1, \dots, t_n occur in a certain mathematical context (e.g. definition, proof), then in these terms all bound variables are chosen to be different from the free variables.” The above recursion principle adheres to this convention by fixing a finite set X of variables meant to be free in the definition context and guaranteeing that the bound variables in the definitional clauses are distinct from them. Formally, the target domain operators $\text{Vr}^{\mathcal{A}}$, $\text{Ap}^{\mathcal{A}}$ and $\text{Lm}^{\mathcal{A}}$ are supported by X , and the clause for λ -abstraction is conditioned by the binding variable x being outside of X . (The Barendregt convention is also present in nominal logic via induction principles [39,59,58,57].)

3 Rensets

This section introduces rensets, an alternative to nominal sets that axiomatize renaming rather than swapping or permutation.

A *renaming-enriched set* (*renset* for short) is a pair $\mathcal{A} = (A, _[_/_])$ where A is a set and $_[_/_] : A \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow A$ is an operator such that the following hold for all $x, x_1, x_2, x_3, y, y_1, y_2 \in \text{Var}$ and $a \in A$:

- Identity: $a[x/x] = a$
- Idempotence: If $x_1 \neq y$ then $a[x_1/y][x_2/y] = a[x_1/y]$
- Chaining: If $y \neq x_2$ then $a[y/x_2][x_2/x_1][x_3/x_2] = a[y/x_2][x_3/x_1]$
- Commutativity: If $x_2 \neq y_1 \neq x_1 \neq y_2$ then $a[x_2/x_1][y_2/y_1] = a[y_2/y_1][x_2/x_1]$

Let us call A the *carrier* of \mathcal{A} and $_[_/_]$ the *renaming operator* of \mathcal{A} . Similarly to the case of terms, we think of the elements $a \in A$ as some kind of variable-bearing entities and of $a[y/x]$ as the result of substituting x with y in a . With this intuition, the above properties are natural: Identity says that substituting a variable with itself has no effect. Idempotence acknowledges the fact that, after its renaming, a variable y is no longer there, so substituting it again has no effect. Chaining says that a chain of renamings $x_3/x_2/x_1$ has the same effect as the end-to-end renaming x_3/x_1 provided there is no interference from x_2 ,

which is ensured by initially substituting x_2 with some other variable y . Finally, Commutativity allows the reordering of any two independent renamings.

Examples $(\mathbf{Var}, _[_/_])$ and $(\mathbf{Trm}, _[_/_])$, the sets of variables and terms with the standard renaming operator on them, form rensets. Moreover, given any functor F on the category of sets and a rerset $\mathcal{A} = (A, _[_/_])$, let us define the rerset $F\mathcal{A} = (FA, _[_/_])$ as follows: for any $k \in FA$ and $x, y \in \mathbf{Var}$, $k[x/y] = F(_[_/_]k)$, where the last occurrence of F refers to the action of the functor on morphisms. This means that one can freely build new rensets from existing ones using container types (which are particular kinds of functors)—e.g., lists, sets, trees etc. Another way to put it: Rensets are closed under datatype and codatatype constructions [54].

In what follows, let us fix a rerset $\mathcal{A} = (A, _[_/_])$. One can define the notion of freshness of a variable for an element of a in the style of nominal logic. But the next proposition shows that simpler formulations are available.

Prop 3 The following are equivalent:

- (1) The set $\{y \in \mathbf{Var} \mid a[y/x] \neq a\}$ is finite.
- (2) $a[y/x] = a$ for all $y \in \mathbf{Var}$.
- (3) $a[y/x] = a$ for some $y \in \mathbf{Var} \setminus \{x\}$.

Let us define the predicate $_ \# _ : \mathbf{Var} \rightarrow A \rightarrow \mathbf{Bool}$ as follows: $x \# a$, read *x is fresh for a*, if either of Prop. 3's equivalent properties holds.

Thus, points (1)–(3) above are three alternative formulations of $x \# a$, all referring to the lack of effect of substituting y for x , expressed as $a[y/x] = a$: namely that this phenomenon affects (1) all but a finite number of variables y , (2) all variables y , or (3) some variable $y \neq x$. The first formulation is the most complex of the three—it is the nominal definition, but using renaming instead of swapping. The other two formulations do not have counterparts in nominal logic, essentially because swapping is not as “efficient” as renaming at exposing freshness. In particular, (3) does not have a nominal counterpart because there is no single-swapping litmus test for freshness. The closest we can get to property (3) in a nominal set is the following: x is fresh for a if and only if $a[y \wedge x] = a$ holds for some fresh y —but this needs freshness to explain freshness!

Examples (continued) For the rensets of variables and terms, freshness defined as above coincides with the expected operators: distinctness in the case of variables and standard freshness in the case of terms. And applying the definition of freshness to rensets obtained using finitary container types has similarly intuitive outcomes; for example, the freshness of a variable x for a list of items $[a_1, \dots, a_n]$ means that x is fresh for each item a_i in the list.

Freshness satisfies some intuitive properties, which can be easily proved from its definition and the rerset axioms. In particular, point (2) of the next proposition is the freshness-based version of the Chaining axiom.

Prop 4 The following hold:

- (1) If $x \# a$ then $a[y/x] = a$
- (2) $x_2 \# a$ then $a[x_2/x_1][x_3/x_2] = a[x_3/x_1]$
- (3) If $z \# a$ or $z = x$, and $x \# a$ or $z \neq y$, then $z \# a[y/x]$

4 Connection to Nominal Sets

So far I focused on consequences of the purely equational theory of rewrites, without making any assumption about cardinality. But after additionally postulating a nominal-style finite support property, one can show that rewrites give rise to nominal sets—which is what I will do in this section.

Let us say that a rewrite $\mathcal{A} = (A, _[_/_])$ has the *Finite Support* property if, for all $a \in A$, the set $\{x \in \mathbf{Var} \mid \neg x \# a\}$ is finite.

Let $\mathcal{A} = (A, _[_/_])$ be a rewrite satisfying Finite Support. Let us define the swapping operator $_[_\wedge_]$: $A \rightarrow \mathbf{Var} \rightarrow \mathbf{Var} \rightarrow A$ as follows: $a[x_1 \wedge x_2] = a[y/x_1][x_1/x_2][x_2/y]$, where y is a variable that is fresh for all the involved items, namely $y \notin \{x_1, x_2\}$ and $y \# a$. Indeed, this is how one would define swapping from renaming on terms: using a fresh auxiliary variable y , and exploiting that such a fresh y exists and that its choice is immaterial for the end result. The next lemma shows that this style of definition also works abstractly, i.e., all it needs are the rewrite axioms plus Finite Support.

Lemma 5 The following hold for all $x_1, x_2 \in \mathbf{Var}$ and $a \in A$:

- (1) There exists $y \in \mathbf{Var}$ such that $y \notin \{x_1, x_2\}$ and $y \# a$.
- (2) For all $y, y' \in \mathbf{Var}$ such that $y \notin \{x_1, x_2\}$, $y \# a$, $y' \notin \{x_1, x_2\}$ and $y' \# a$, $a[y/x_1][x_1/x_2][x_2/y] = a[y'/x_1][x_1/x_2][x_2/y']$.

And one indeed obtains an operator satisfying the nominal axioms:

Prop 6 If $(A, _[_/_])$ is a rewrite satisfying Finite Support, then $(A, _[_\wedge_])$ is a nominal set. Moreover, $(A, _[_/_])$ and $(A, _[_\wedge_])$ have the same notion of freshness, in that the freshness operator defined from renaming coincides with that defined from swapping.

The above construction is functorial, as I detail next. Given two nominal sets $\mathcal{A} = (A, _[_\wedge_])$ and $\mathcal{B} = (B, _[_\wedge_])$, a *nominal morphism* $f : \mathcal{A} \rightarrow \mathcal{B}$ is a function $f : A \rightarrow B$ with the property that it commutes with swapping, in that $(f a)[x \wedge y] = f(a[x \wedge y])$ for all $a \in A$ and $x, y \in \mathbf{Var}$. Nominal sets and nominal morphisms form a category that I will denote by Nom. Similarly, let us define a morphism $f : \mathcal{A} \rightarrow \mathcal{B}$ between two rewrites $\mathcal{A} = (A, _[_/_])$ and $\mathcal{B} = (B, _[_/_])$ to be a function $f : A \rightarrow B$ that commutes with renaming, yielding the category Sbs of rewrites. Let us write FSbs for the full subcategory of Sbs given by rewrites that satisfy Finite Support. Let us define $F : \mathbf{FSbs} \rightarrow \mathbf{Nom}$ to be an operator on objects and morphisms that sends each finite-support rewrite to the above described nominal set constructed from it, and sends each substitutive morphism to itself.

Theorem 7 F is a functor between FSbs and Nom which is injective on objects and full and faithful (i.e., bijective on morphisms).

One may ask whether it is also possible to make the trip back: from nominal to rewrites. The answer is negative, at least if one wants to retain the same

notion of freshness, i.e., have the freshness predicate defined in the nominal set be identical to the one defined in the resulting renset. This is because swapping preserves the cardinality of the support, whereas renaming must be allowed to change it since it might perform a non-injective renaming. The following example captures this idea:

Counterexample Let $\mathcal{A} = (A, _[_\wedge_])$ be a nominal set such that all elements of A have their support consisting of exactly two variables, x and y (with $x \neq y$). (For example, A can be the set of all terms with these free variables—this is indeed a nominal subset of the term nominal set because it is closed under swapping.) Assume for a contradiction that $_[_/_]$ is an operation on A that makes $(A, _[_/_])$ a renset with its induced freshness operator equal to that of \mathcal{A} . Then, by the definition of A , $a[y/x]$ needs to have exactly two non-fresh variables. But this is impossible, since by Prop. 4(3), all the variables different from y (including x) must be fresh for $a[y/x]$. In particular, \mathcal{A} is not in the image of the functor $F : \underline{FSbs} \rightarrow \underline{Nom}$, which is therefore not surjective on objects.

Thus, at an abstract algebraic level renaming can define swapping, but not the other way around. This is not too surprising, since swapping is fundamentally bijective whereas renaming is not; but it further validates our axioms for renaming, highlighting their ability to define a well-behaved swapping.

5 Recursion Based on Rensets

Prop. 3 shows that, in rensets, renaming can define freshness using only equality and universal or existential quantification over variables—without needing any cardinality condition like in the case of swapping. As I am about to discuss, this forms the basis of a characterization of terms as the initial algebra of an equational theory (§5.1) and an expressive recursion principle (§5.2) that fares better than the nominal one for interpretations in semantic domains (§5.3).

5.1 Equational characterization of the term datatype

Rensets contain elements that are “term-like” in as much as there is a renaming operator on them satisfying familiar properties of renaming on terms. This similarity with terms can be strengthened by enriching rensets with operators having arities that match those of the term constructors.

A *constructor-enriched renset* (*CE renset* for short) is a tuple $\mathcal{A} = (A, _[_/_], \text{Vr}^{\mathcal{A}}, \text{Ap}^{\mathcal{A}}, \text{Lm}^{\mathcal{A}})$ where:

- $(A, _[_/_])$ is a renset
- $\text{Vr}^{\mathcal{A}} : \text{Var} \rightarrow A$, $\text{Ap}^{\mathcal{A}} : A \rightarrow A \rightarrow A$ and $\text{Lm}^{\mathcal{A}} : \text{Var} \rightarrow A \rightarrow A$ are functions

such that the following hold for all $a, a_1, a_2 \in A$ and $x, y, z \in \text{Var}$:

- (S1) $(\text{Vr}^{\mathcal{A}} x)[y/z] = \text{Vr}^{\mathcal{A}}(x[y/z])$ (S2) $(\text{Ap}^{\mathcal{A}} a_1 a_2)[y/z] = \text{Ap}^{\mathcal{A}}(a_1[y/z])(a_2[y/z])$
- (S3) if $x \notin \{y, z\}$ then $(\text{Lm}^{\mathcal{A}} x a)[y/z] = \text{Lm}^{\mathcal{A}} x (a[y/z])$
- (S4) $(\text{Lm}^{\mathcal{A}} x a)[y/x] = \text{Lm}^{\mathcal{A}} x a$
- (S5) if $z \neq y$ then $\text{Lm}^{\mathcal{A}} x (a[z/y]) = \text{Lm}^{\mathcal{A}} y (a[z/y][y/x])$

Let us call Vr^A, Ap^A, Lm^A the *constructors* of \mathcal{A} . (S1)–(S3) express the constructors’ commutation with renaming (with capture-avoidance provisions in the case of (S3)), (S4) the lack of effect of substituting for a bound variable, and (S5) the possibility to rename a bound variable without changing the abstracted item (where the inner renaming of $z \neq y$ for y ensures the freshness of the “new name” y , hence its lack of interference with the other names in the “term-like” entity where the renaming takes place). All these are well-known to hold for terms:

Example Terms with renaming and the constructors, namely $(\text{Trm}, _[_/_/], Vr, Ap, Lm)$, form a CE rerset which will be denoted by $\mathcal{T}rm$.

As it turns out, the CE rerset axioms capture exactly the term structure $\mathcal{T}rm$, via initiality. The notion of *CE substitutive morphism* $f : \mathcal{A} \rightarrow \mathcal{B}$ between two CE rersets $\mathcal{A} = (A, _[_/_/], Vr^A, Ap^A, Lm^A)$ and $\mathcal{B} = (B, _[_/_/], Vr^B, Ap^B, Lm^B)$ is the expected one: a function $f : A \rightarrow B$ that is a substitutive morphism and also commutes with the constructors. Let us write \underline{Sbs}_{CE} for the category of CE rersets and morphisms.

Theorem 8 $\mathcal{T}rm$ is the initial CE rerset, i.e., initial object in \underline{Sbs}_{CE} .

Proof idea. Let $\mathcal{A} = (A, _[_/_/], Vr^A, Ap^A, Lm^A)$ be a CE rerset. Instead of directly going after a function $f : \text{Trm} \rightarrow A$, one first inductively defines a relation $R : \text{Trm} \rightarrow A \rightarrow \text{Bool}$, with inductive clauses reflecting the desired properties concerning the commutation with the constructors, e.g., $\frac{R t a}{R (Lm x t) (Lm^A x a)}$. It suffices to prove that R is total and functional and preserves renaming, since that allows one to define a constructor- and renaming-preserving function (a morphism) f by taking $f t$ to be the unique a with $R t a$.

Proving that R is total is easy by standard induction on terms. Proving the other two properties, namely functionality and preservation of renaming, is more elaborate and requires their simultaneous proof together with a third property: that R preserves freshness. The simultaneous three-property proof follows by a form of “substitutive induction” on terms: Given a predicate $\varphi : \text{Trm} \rightarrow \text{Bool}$, to show $\forall t \in \text{Trm}. \varphi t$ it suffices to show the following: (1) $\forall x \in \text{Var}. \varphi (Vr x)$, (2) $\forall t_1, t_2 \in \text{Trm}. \varphi t_1 \ \& \ \varphi t_2 \rightarrow \varphi (Ap t_1 t_2)$, and (3) $\forall x \in \text{Var}, t \in \text{Trm}. (\forall s \in \text{Trm}. \text{Con}_{_[_/_/]} t s \rightarrow \varphi s) \rightarrow \varphi (Lm x t)$, where $\text{Con}_{_[_/_/]} t s$ means that t is connected to s by a chain of renamings.

Roughly speaking, R turns out to be functional because the λ -abstraction operator on the “term-like” inhabitants of A is, thanks to the axioms of CE rerset, at least as non-injective as (i.e., identifies at least as many items as) the λ -abstraction operator on terms. \square

Theorem 8 is the central result of this paper, from both practical and theoretical perspectives. Practically, it enables a useful form of recursion on terms (as I will discuss in the following sections). Theoretically, this is a characterization of terms as the initial algebra of an equational theory that only the most fundamental term operations, namely the constructors and renaming. The equational theory consists of the axioms of CE rersets (i.e., those of rersets plus (S1)–(S5)),

which are an infinite set of unconditional equations—for example, axiom (S5) gives one equation for each pair of distinct variables y, z .

It is instructive to compare this characterization with the one offered by nominal logic, namely by Theorem 2. To do this, one first needs a lemma:

Lemma 9 Let $f : A \rightarrow B$ be a function between two nominal sets $\mathcal{A} = (A, _[_\wedge_])$ and $\mathcal{B} = (B, _[_\wedge_])$ and X a set of variables. Then f is supported by X if and only if $f(a[x \wedge y]) = (f a)[x \wedge y]$ for all $x, y \in \mathbf{Var} \setminus X$.

Now Theorem 2 (with the variable avoidance set X taken to be \emptyset) can be rephrased as an initiality statement, as I describe below.

Let us define a *constructor-enriched nominal set* (*CE nominal set*) to be any tuple $\mathcal{A} = (A, _[_\wedge_], \mathbf{Vr}^{\mathcal{A}}, \mathbf{Ap}^{\mathcal{A}}, \mathbf{Lm}^{\mathcal{A}})$ where $(A, _[_\wedge_])$ is a nominal set and $\mathbf{Vr}^{\mathcal{A}} : \mathbf{Var} \rightarrow A$, $\mathbf{Ap}^{\mathcal{A}} : A \rightarrow A \rightarrow A$, $\mathbf{Lm}^{\mathcal{A}} : \mathbf{Var} \rightarrow A \rightarrow A$ are operators on A such that the following properties hold for all $a, a_1, a_2 \in A$ and $x, y, z \in \mathbf{Var}$:

- (N1) $(\mathbf{Vr}^{\mathcal{A}} x)[y \wedge z] = \mathbf{Vr}^{\mathcal{A}}(x[y \wedge z])$
- (N2) $(\mathbf{Ap}^{\mathcal{A}} a_1 a_2)[y \wedge z] = \mathbf{Ap}^{\mathcal{A}}(a_1[y \wedge z]) (a_2[y \wedge z])$
- (N3) $(\mathbf{Lm}^{\mathcal{A}} x a)[y \wedge z] = \mathbf{Lm}^{\mathcal{A}}(x[y \wedge z]) (a[y \wedge z])$
- (N4) $x \# \mathbf{Lm} x a$, i.e., $\{y \in \mathbf{Var} \mid (\mathbf{Lm} x a)[y \wedge x] \neq \mathbf{Lm} x a\}$ is finite.

The notion of *CE nominal morphism* is defined as the expected extension of that of nominal morphism: a function that commutes with swapping and the constructors. Let $\underline{Nom}_{\text{CE}}$ be the category of CE nominal sets morphisms.

Theorem 10 ([39], rephrased) $(\text{Trm}, _[_\wedge_], \mathbf{Vr}, \mathbf{Ap}, \mathbf{Lm})$ is the initial CE nominal set, i.e., the initial object in $\underline{Nom}_{\text{CE}}$.

The above theorem indeed corresponds exactly to Theorem 2 with $X = \emptyset$:

- the conditions (N1)–(N3) in the definition of CE nominal sets correspond (via Lemma 9) to the constructors being supported by \emptyset
- (N4) is the freshness condition for binders
- initiality, i.e., the existence of a unique morphism, is the same as the existence of the unique function $f : \text{Trm} \rightarrow A$ stipulated in Theorem 2: commutation with the constructors is the Theorem 2 conditions (i)–(iii), and commutation with swapping means (via Lemma 9) f being supported by \emptyset .

Unlike the renaming-based characterization of terms (Theorem 8), the nominal logic characterization (Theorem 10) is not purely equational. This is due to a combination of two factors: (1) two of the axioms ((N4) and the Finite Support condition) referring to freshness and (2) the impossibility of expressing freshness equationally from swapping. The problem seems fundamental, in that the nominal characterization does not seem expressible purely equationally. By contrast, while the freshness idea is implicit in the CE reset axioms, the freshness predicate itself is absent from Theorem 8.

5.2 Barendregt-enhanced recursion principle

While Theorem 8 already gives a recursion principle, it is possible to improve it by incorporating Barendregt’s variable convention (in the style of Theorem 2):

Theorem 11 Let X be a finite set, $(A, _[_/_])$ a rerset and $\text{Vr}^A : \text{Var} \rightarrow A$, $\text{Ap}^A : A \rightarrow A \rightarrow A$ and $\text{Lm}^A : \text{Var} \rightarrow A \rightarrow A$ some functions that satisfy the clauses (S1)–(S5) from the definition of CE rerset, but only under the assumption that $x, y, z \notin X$. Then there exists a unique function $f : \text{Trm} \rightarrow A$ such that the following hold:

- (i) $f(\text{Vr } x) = \text{Vr}^A x$
- (ii) $f(\text{Ap } t_1 t_2) = \text{Ap}^A (f t_1) (f t_2)$
- (iii) $f(\text{Lm } x t) = \text{Lm}^A x (f t)$ if $x \notin X$
- (iv) $f(t[y/z]) = (f t)[y/z]$ if $y, z \notin X$

Proof idea. The constructions in the proof of Theorem 8 can be adapted to avoid clashing with the finite set of variables X . For example, the clause for λ -abstraction in the inductive definition of the relation R becomes $\frac{x \notin X \quad R t a}{R (\text{Lm } x t) (\text{Lm}^A x a)}$ and preservation of renaming and freshness are also formulated to avoid X . Totality is still ensured thanks to the possibility of renaming bound variables—in terms and inhabitants of A alike (via the modified axiom (S5)). \square

The above theorem says that if the structure \mathcal{A} is assumed to be “almost” a CE set, save for additional restrictions involving the avoidance of X , then there exists a unique “almost”-morphism—satisfying the CE substitutive morphism conditions restricted so that the bound and renaming-participating variables avoid X . It is the renaming-based counterpart of the nominal Theorem 2.

In regards to the relative expressiveness of these two recursion principles (Theorems 11 and 2), it seems difficult to find an example that is definable by one but not by the other. In particular, my principle can seamlessly define standard nominal examples [39,40] such as the length of a term, the counting of λ -abstractions or of the free-variables occurrences, and term-for-variable substitution—Appendix A gives details. However, as I am about to discuss, I found an important class of examples where my renaming-based principle is significantly easier to deploy: that of interpreting syntax in semantic domains.

5.3 Extended example: semantic interpretation

Semantic interpretations, also known as denotations (or denotational semantics), are pervasive in the meta-theory of logics and λ -calculi, for example when interpreting first-order logic (FOL) formulas in FOL models, or untyped or simply-typed λ -calculus or higher-order logic terms in specific models (such as full-frame or Henkin models). In what follows, I will focus on λ -terms and Henkin models, but the ideas discussed apply broadly to any kind of statically scoped interpretation of terms or formulas involving binders.

Let D be a set and $\text{ap} : D \rightarrow D \rightarrow D$ and $\text{lm} : (D \rightarrow D) \rightarrow D$ be operators modeling semantic notions of application and abstraction. An environment will be a function $\xi : \text{Var} \rightarrow D$. Given $x, y \in \text{Var}$ and $d, e \in D$, let us write $\xi \langle x := d \rangle$ for ξ updated with value d for x (i.e., acting like ξ on all variables except for x where it returns d); and let us write $\xi \langle x := d, y := e \rangle$ instead of $\xi \langle x := d \rangle \langle y := e \rangle$.

Say one wants to interpret terms in the semantic domain D in the context of environments, i.e., define the function $\text{sem} : \text{Trm} \rightarrow (\text{Var} \rightarrow D) \rightarrow D$ that maps syntactic to semantic constructs; e.g., one would like to have:

- $\text{sem} (\text{Lm } x (\text{Ap } x x)) \xi = \text{lm}(d \mapsto \text{ap } d d)$ (regardless of ξ)
- $\text{sem} (\text{Lm } x (\text{Ap } x y)) \xi = \text{lm}(d \mapsto \text{ap } d (\xi y))$ (assuming $x \neq y$)

where I use $d \mapsto \dots$ to describe functions in $D \rightarrow D$, e.g., $d \mapsto \text{ap } d d$ is the function sending every $d \in D$ to $\text{ap } d d$.

The definition should therefore naturally go recursively by the clauses:

- (1) $\text{sem} (\text{Vr } x) \xi = \xi x$
- (2) $\text{sem} (\text{Ap } t_1 t_2) \xi = \text{ap} (\text{sem } t_1 \xi) (\text{sem } t_2 \xi)$
- (3) $\text{sem} (\text{Lm } x t) \xi = \text{lm} (d \mapsto \text{sem } t (\xi \langle x := d \rangle))$

Of course, since Trm is not a free datatype, these clauses do not work out of the box, i.e., do not form a definition (yet)—this is where binding-aware recursion principles such as Theorems 11 and 2 could step in. I will next try them both.

The three clauses above already determine constructor operations $\text{Vr}^{\mathcal{I}}$, $\text{Ap}^{\mathcal{I}}$ and $\text{Lm}^{\mathcal{I}}$ on the set of interpretations, $I = (\text{Var} \rightarrow D) \rightarrow D$, namely:

- $\text{Vr}^{\mathcal{I}} : \text{Var} \rightarrow I$ by $\text{Vr}^{\mathcal{I}} x i \xi = \xi x$
- $\text{Ap}^{\mathcal{I}} : I \rightarrow I \rightarrow I$ by $\text{Ap}^{\mathcal{I}} i_1 i_2 \xi = \text{ap} (i_1 \xi) (i_2 \xi)$
- $\text{Lm}^{\mathcal{I}} : \text{Var} \rightarrow I \rightarrow I$ by $\text{Lm}^{\mathcal{I}} x i \xi = \text{lm} (d \mapsto i (\xi \langle x := d \rangle))$

To apply the renaming-based recursion principle from Theorem 11, one must further define a renaming operator on I . Since the only chance to successfully apply this principle is if sem commutes with renaming, the definition should be inspired by the question: How can $\text{sem}(t[y/x])$ be determined from $\text{sem } t$, y and x ? The answer is (4) $\text{sem} (t[y/x]) \xi = (\text{sem } t) (\xi \langle x := \xi y \rangle)$, yielding an operator $[_/__]^{\mathcal{I}} : I \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow I$ defined by $i [y/x]^{\mathcal{I}} \xi = i (\xi \langle x := \xi y \rangle)$.

It is not difficult to verify that $\mathcal{I} = (I, [_/__]^{\mathcal{I}}, \text{Vr}^{\mathcal{I}}, \text{Ap}^{\mathcal{I}}, \text{Lm}^{\mathcal{I}})$ is a CE reset—for example, Isabelle’s automatic methods discharge all the goals. This means Theorem 11 (or, since here one doesn’t need Barendregt’s variable convention, already Theorem 8) is applicable, and gives us a unique function sem that commutes with the constructors, i.e., satisfies clauses (1)–(3) (which are instances of the clauses (i)–(iii) from Theorem 11), and additionally commutes with renaming, i.e., satisfies clause (4) (which is an instances of the clause (iv) from Theorem 11).

On the other hand, to apply nominal recursion for defining sem , one must identify a swapping operator on I . Similarly to the case of renaming, this identification process is guided by the goal of determining $\text{sem}(t[x \wedge y])$ from $\text{sem } t$, x and y , leading to (4’) $\text{sem} (t[x \wedge y]) \xi = \text{sem } t (\xi \langle x := \xi y, y := \xi x \rangle)$, which yields the definition of $[_ \wedge _]^{\mathcal{I}}$ by $i [x \wedge y]^{\mathcal{I}} \xi = i (\xi \langle x := \xi y, y := \xi x \rangle)$. However, as pointed out by Pitts [39, §6.3] (in the slightly different context of interpreting simply-typed λ -calculus), the nominal recursor (Theorem 2) does *not* directly apply (hence neither does my reformulation based on CE nominal sets, Theorem 10). This is because, in my terminology, the structure $\mathcal{I} = (I, [_ \wedge _]^{\mathcal{I}}, \text{Vr}^{\mathcal{I}}, \text{Ap}^{\mathcal{I}}, \text{Lm}^{\mathcal{I}})$ is not a CE nominal set. The problematic condition is FCB (the freshness condition for binders), requiring that $x \#^{\mathcal{I}} (\text{Lm}^{\mathcal{I}} x i)$ holds for all $i \in I$. Expanding

the definition of $\#^{\mathcal{I}}$ (the nominal definition of freshness from swapping, recalled in Section 2.2) and the definitions of $[_ \wedge _]^{\mathcal{I}}$ and $\mathbf{Lm}^{\mathcal{I}}$, one can see that $x \#^{\mathcal{I}} (\mathbf{Lm}^{\mathcal{I}} x i)$ means the following:

$\mathbf{lm} (d \mapsto i (\xi \langle x := \xi y, y := \xi x \rangle \langle x := d \rangle)) = \mathbf{lm} (d \mapsto i (\xi \langle x := d \rangle))$, i.e., $\mathbf{lm} (d \mapsto i (\xi \langle x := d, y := \xi x \rangle)) = \mathbf{lm} (d \mapsto i (\xi \langle x := d \rangle))$, holds for all but a finite number of variables y .

The only chance for the above to be true is if i , when applied to an environment, ignores the value of y in that environment for all but a finite number of variables y ; in other words, i only analyzes the value of a finite number of variables in that environment—but this is not guaranteed to hold for arbitrary elements $i \in I$. To repair this, Pitts engages in a form of induction-recursion [17], carving out from I a smaller domain that is still large enough to interpret all terms, then proving that both FCB and the other axioms hold for this restricted domain. It all works out in the end, but the technicalities are quite involved.

Although FCB is not required by the renaming-based principle, note incidentally that this condition would actually be true (and immediate to check) if working with freshness defined not from swapping but from renaming. Indeed, the renaming-based version of $x \#^{\mathcal{I}} (\mathbf{Lm}^{\mathcal{I}} x i)$ says that $\mathbf{lm} (d \mapsto i (\xi \langle x := \xi y \rangle \langle x := d \rangle)) = \mathbf{lm} (d \mapsto i (\xi \langle x := d \rangle))$ holds for all y (or at least for some $y \neq x$)—which is immediate since $\xi \langle x := \xi y \rangle \langle x := d \rangle = \xi \langle x := d \rangle$. This further illustrates the idea that semantic domains ‘favor’ renaming over swapping.

In conclusion, for interpreting syntax in semantic domains, my renaming-based recursor is trivial to apply, whereas the nominal recursor requires some fairly involved additional definitions and proofs.

6 Conclusion and Related Work

This paper introduced and studied renssets, contributing (1) theoretically, a minimalistic equational characterization of the datatype of terms with bindings and (2) practically, an addition to the formal arsenal for manipulating syntax with bindings. It is part of a longstanding line of work by myself and collaborators on exploring convenient definition and reasoning principles for bindings [43,27,46,45,25], and will be incorporated into the ongoing implementation of a new Isabelle definitional package for binding-aware datatypes [12].

Initial model characterizations of the terms datatype. My results provide a truly elementary characterization of terms with bindings, as an “ordinary” datatype specified by the fundamental operations only (the constructors plus variable-for-variable renaming) and some equations (those defining CE renssets). As far as specification simplicity goes, this is “the next best thing” after a completely free datatype such as those of natural numbers or lists.

Fig. 1 shows previous characterizations from the literature, in which terms with bindings are identified as an initial model (or algebra) of some kind. For each of these, I indicate (1) the employed reasoning paradigm, (2) whether the initiality/recursion theorem features an extension with Barendregt’s variable convention, (3) the underlying category (from where the carriers of the models

	Fiore et al. [22] Hofmann [29]	Pitts [39]	Urban et al. [56,55]	Norrish [33]	Popescu &Gunter [45]	Gheri& Popescu [25]	This paper
Paradigm	nameless	nameful	nameful	nameful	nameful	nameful	nameful
Barendregt?	n/a	yes	yes	yes	no	no	yes
Underlying category	$Set^{\mathbb{F}}$	Set	Set	Set	Set	Set	Set
Required operations/ relations	ctors, rename, free-vars	ctors, perm	ctors, perm	ctors, swap, free-vars	ctors, term/var subst, fresh	ctors, swap, fresh	ctors, rename
Required properties	functori- ality, naturality	Horn clauses, fresh-def, fin-supp	Horn clauses, fresh-def	Horn clauses	Horn clauses	Horn clauses	equations

Fig. 1: Initial model characterizations of the datatype of terms with bindings “ctors” = “constructors”, “perm” = “permutation”, “fresh” = “the freshness predicate”, “fresh-def” = “clause for defining the freshness predicate”, “fin-supp” = “Finite Support”

are taken), (4) the operations and relations on terms to which the models must provide counterparts and (5) the properties required on the models.

While some of these results enjoy elegant mathematical properties of intrinsic value, my main interest is in the recursors they enable, specifically in the ease of deploying these recursors. That is, I am interested in how easy it is in principle to organize the target domain as a model of the requested type, hence obtain the desired morphism, i.e., get the recursive definition done. By this measure, elementary approaches relying on standard FOL-like models whose carriers are sets rather than pre-sheaves have an advantage. Also, it seems intuitive that a recursor is easier to apply if there are fewer operators, and fewer and structurally simpler properties required on its models—although empirical evidence of successfully deploying the recursor in practice should complement the simplicity assessment, to ensure that simplicity is not sponsored by lack of expressiveness.

The first column in Fig. 1’s table contains an influential representative of the nameless paradigm: the result obtained independently by Fiore et al. [22] and Hofmann [29] characterizing terms as initial in the category of algebras over the pre-sheaf topos $Set^{\mathbb{F}}$, where \mathbb{F} is the category of finite ordinals and functions between them. The operators required by algebras are the constructors, as well as the free-variable operator (implicitly as part of the separation on levels) and the injective renamings (as part of the functorial structure). The algebra’s carrier is required to be a functor and the constructors to be natural transformations. There are several variations of this approach, e.g., [11,5,29], some implemented in proof assistants, e.g., [4,3,31].

The other columns refer to initiality results that are more closely related to mine. They take place within the nameful paradigm, and they all rely on elementary models (with set carriers). Pitts’s already discussed nominal recursor [39] (based on previous work by Gabbay and Pitts [23]) employs the constructors

and permutation (or swapping), and requires that its models satisfy some Horn clauses for constructors, permutation and freshness, together with the second-order properties that (1) define freshness from swapping and (2) express Finite Support. Urban et al.’s version [56,55] implemented in Isabelle/Nominal is an improvement of Pitts’s in that it removes the Finite Support requirement from the models—which is practically significant because it enables non-finitely supported target domains for recursion. Norrish’s result [33] is explicitly inspired by nominal logic, but renounces the definability of the free-variable operator from swapping—with the price of taking both swapping and free-variables as primitives. My previous work with Gunter and Gheri takes as primitives either term-for-variable substitution and freshness [45] or swapping and freshness [25], and requires properties expressed by different Horn clauses (and does not explore a Barendregt dimension, like Pitts, Urban et al. and Norrish do). My previous focus on term-for-variable substitution [45] (as opposed to renaming, i.e., variable-for-variable substitution) impairs expressiveness—for example, the depth of a term is not definable using a recursor based on term-for-variable substitution because we cannot say how term-for-variable substitution affects the depth of a term based on its depth and that of the substitute alone. My current result based on rensets keeps freshness out of the primitive operators base (like nominal logic does), and provides an unconditionally equational characterization using only constructors and renaming. The key to achieving this minimality is the simple expression of freshness from renaming in my axiomatization of rensets. In future work, I plan a systematic formal comparison of the relative expressiveness of all these nameful recursors.

Recursors in other paradigms. Fig. 1 focuses on nameful recursors, while only the Fiore et al. / Hofmann recursor for the sake of a rough comparison with the nameless approach. I should stress that such a comparison is necessarily rough, since the nameless recursors do not give the same “payload” as the nameful ones. This is because of the handling of bound variables. In the nameless paradigm, the λ -constructor does not explicitly take a variable as an input, as in $\text{Lm } x \ t$, i.e., does not have type $\text{Var} \rightarrow \text{Trm} \rightarrow \text{Trm}$. Instead, the bindings are indicated through nameless pointers to positions in a term. So the nameless λ -constructor, let’s call it NLm , takes only a term, as in $\text{NLm } t$, i.e., has type $\text{Trm} \rightarrow \text{Trm}$ or a scope-safe (polymorphic or dependently-typed) variation of this, e.g., $\prod_{n \in \mathbb{F}} \text{Trm}_n \rightarrow \text{Trm}_{n+1}$ [22,29] or $\prod_{\alpha \in \text{Type}} \text{Trm}_\alpha \rightarrow \text{Trm}_{\alpha+\text{unit}}$ [11,5]. The λ -constructor is of course matched by operators in the considered models, which appears in the clauses of the functions f defined recursively on terms: Instead of a clause of the form $f(\text{Lm } x \ t) = \langle \text{expression depending on } x \text{ and } f \ t \rangle$ from the nameful paradigm, in the nameless paradigm one gets a clause of the form $f(\text{NLm } t) = \langle \text{expression depending on } f \ t \rangle$. A nameless recursor is usually easier to prove correct and easier to apply because the nameless constructor NLm is free—whereas a nameful recursor must wrestle with the non-freeness of Lm , handled by verifying certain properties of the target models. However, once the definition is done, having nameful clauses pays off by allowing “textbook-style” proofs that stay close to the informal presentation of a calculus or logic,

whereas with the nameless definition some additional index shifting bureaucracy is necessary. (See [9] for a detailed discussion, and [14] for a hybrid solution.)

A comparison of nameful recursion with HOAS recursion is also generally difficult, since major HOAS frameworks such as Abella [7], Beluga [37] or Twelf [36] are developed within non-standard logical foundations, allowing a λ -constructor of type $(\text{Trm} \rightarrow \text{Trm}) \rightarrow \text{Trm}$, which is not amenable to typical well-foundedness based recursion but requires some custom solutions (e.g., [49,21]). However, the *weak HOAS* variant [16,27] employs a constructor of the form $\text{WHLm} : (\text{Var} \rightarrow \text{Trm}) \rightarrow \text{Trm}$ which *is* recursable, and in fact yields a free datatype, let us call it WHTrm —one generated by $\text{WHVr} : \text{Var} \rightarrow \text{WHTrm}$, $\text{WHAp} : \text{WHTrm} \rightarrow \text{WHTrm} \rightarrow \text{WHTrm}$ and WHLm . WHTrm contains (natural encodings of) all terms but also additional entities referred to as “exotic terms”. Partly because of the exotic terms, this free datatype by itself is not very helpful for recursively defining useful functions on terms. But the situation is dramatically improved if one employs a variant of weak HOAS called *parametric HOAS (PHOAS)* [15], i.e., takes Var not as a fixed type but as a type parameter (type variable) and works with $\prod_{\text{Var} \in \text{Type}} \text{Trm}_{\text{Var}}$; this enables many useful definitions by choosing a suitable type Var (usually large enough to make the necessary distinctions) and then performing standard recursion. The functions definable in the style of PHOAS seem to be exactly those definable via the semantic domain interpretation pattern (Section 5.3): Choosing the instantiation of Var to a type T corresponds to employing environments in $\text{Var} \rightarrow T$. (I illustrate this at the end of Appendix A by showing the semantic-domain version of a PHOAS example.)

As a hybrid nameful/HOAS approach we can count Gordon and Melham’s characterization of the datatype of terms [26], which employs the nameful constructors but formulates recursion treating Lm as if recursing in the weak-HOAS datatype WHTrm . Norrish’s recursor [33] (a participant in Fig. 1) has been inferred from Gordon and Melham’s one. Weak-HOAS recursion also has interesting connections with nameless recursion: In presheaf toposes such as those employed by Fiore et al. [22], Hofmann [29] and Ambler et al. [6], for any object T the function space $\text{Var} \Rightarrow T$ is isomorphic to the De Bruijn level shifting transformation applied to T ; this effectively equates the weak-HOAS and nameless recursors. A final cross-paradigm note: In themselves, nominal sets are not confined to the nameful paradigm; their category is equivalent [23] to the Schanuel topos [30], which is attractive for pursuing the nameless approach.

Axiomatizations of renaming. In his study of name-passing process calculi, Staton [51] considers an enrichment of nominal sets with renaming (in addition to swapping) and axiomatizes renaming with the help of the nominal (swapping-defined) freshness predicate. He shows that the resulted category is equivalent to the non-injective renaming counterpart of the Schanuel topos (i.e., the subcategory of $\text{Set}^{\mathbb{F}}$ consisting of functors that preserve pullbacks of monos). Gabbay and Hofmann [24] provide an elementary characterization of the above category, in terms of *nominal renaming sets*, which are sets equipped with a multiple-variable-renaming action satisfying identity and composition laws, and a form of Finite Support (FS). Nominal renaming sets seem very related to rewrites

satisfying FS. Indeed, any nominal renaming set forms a FS-satisfying rerset when restricted to single-variable renaming. Conversely, I conjecture that any FS-satisfying rerset gives rise to a nominal renaming set. This correspondence seems similar to the one between the permutation-based and swapping-based alternative axiomatizations of nominal sets—in that the two express the same concept up to an isomorphism of categories. In their paper, Gabbay and Hofmann do not study renaming-based recursion, beyond noting the availability of a recursor stemming from the functor-category view (which, as I discussed above, enables nameless recursion with a weak-HOAS flavor). Pitts [41] introduces *nominal sets with 01-substitution structure*, which axiomatize substitution of one of two possible constants for variables on top of the nominal axiomatization, and proves that they form a category that is equivalent with that of cubical sets [10], hence relevant for the univalent foundations [53].

Other work. Sun [52] develops universal algebra for first-order languages with bindings (generalizing work by Aczel [2]) and proves a completeness theorem. In joint work with Roşu [47], I develop first-order logic and prove completeness on top of a generic syntax with axiomatized free-variables and substitution.

Renaming versus swapping and nominal logic, final round. I believe that my work complements rather than competes with nominal logic. My results do not challenge the swapping-based approach to defining syntax (defining the alpha-equivalence on pre-terms and quotienting to obtain terms) recommended by nominal logic, which is more elegant than a renaming-based alternative; but my easier-to-apply recursor can be a useful addition even on top of the nominal substratum. Moreover, some of my constructions are explicitly inspired by the nominal ones. For example, I started by adapting the nominal idea of defining freshness from swapping before noticing that renaming enables a simpler formulation. My formal treatment of Barendregt’s variable convention also originates from nominal logic—as it turns out, this idea works equally well in my setting. In fact, I came to believe that the possibility of a Barendregt enhancement is largely orthogonal to the particularities of a binding-aware recursor. In future work, I plan to investigate this, i.e., seek general conditions under which an initiality principle (such as Theorems 10 and 8) is amenable to a Barendregt enhancement (such as Theorems 2 and 11, respectively).

Acknowledgments. I am grateful to the IJCAR reviewers for their insightful comments and suggestions, and for pointing out related work.

References

1. Abel, A., Allais, G., Hameer, A., Pientka, B., Momigliano, A., Schäfer, S., Stark, K.: Poplmark reloaded: Mechanizing proofs by logical relations. *J. Funct. Program.* 29, e19 (2019), <https://doi.org/10.1017/S0956796819000170>
2. Aczel, P.: Frege structures and notations in propositions, truth and set. In: *The Kleene Symposium*. pp. 31–59. North Holland (1980)

3. Allais, G., Atkey, R., Chapman, J., McBride, C., McKinna, J.: A type and scope safe universe of syntaxes with binding: Their semantics and proofs. *Proc. ACM Program. Lang.* 2(International Conference on Functional Programming (ICFP)), 90:1–90:30 (2018), <http://doi.acm.org/10.1145/3236785>
4. Allais, G., Chapman, J., McBride, C., McKinna, J.: Type-and-scope safe programs and their proofs. In: Bertot, Y., Vafeiadis, V. (eds.) *Proceedings of the 6th ACM SIGPLAN Conference on Certified Programs and Proofs, CPP 2017, Paris, France, January 16-17, 2017*. pp. 195–207. ACM (2017), <https://doi.org/10.1145/3018610.3018613>
5. Altenkirch, T., Reus, B.: Monadic presentations of lambda terms using generalized inductive types. In: Flum, J., Rodríguez-Artalejo, M. (eds.) *Computer Science Logic (CSL) 1999, LNCS*, vol. 1683, pp. 453–468. Springer (1999), https://doi.org/10.1007/3-540-48168-0_32
6. Ambler, S.J., Crole, R.L., Momigliano, A.: A definitional approach to primitivexs recursion over higher order abstract syntax. In: *Eighth ACM SIGPLAN International Conference on Functional Programming, Workshop on Mechanized reasoning about languages with variable binding, MERLIN 2003, Uppsala, Sweden, August 2003*. ACM (2003), <https://doi.org/10.1145/976571.976572>
7. Baelde, D., Chaudhuri, K., Gacek, A., Miller, D., Nadathur, G., Tiu, A., Wang, Y.: Abella: A system for reasoning about relational specifications. *J. Formalized Reasoning* 7(2), 1–89 (2014), <https://doi.org/10.6092/issn.1972-5787/4650>
8. Barendregt, H.P.: *The Lambda Calculus: Its Syntax and Semantics, Studies in Logic*, vol. 40. Elsevier (1984)
9. Berghofer, S., Urban, C.: A head-to-head comparison of de Bruijn indices and names. *Electr. Notes Theor. Comput. Sci.* 174(5), 53–67 (2007), <https://doi.org/10.1016/j.entcs.2007.01.018>
10. Bezem, M., Coquand, T., Huber, S.: A model of type theory in cubical sets. In: Matthes, R., Schubert, A. (eds.) *19th International Conference on Types for Proofs and Programs, TYPES 2013, April 22-26, 2013, Toulouse, France. LIPIcs*, vol. 26, pp. 107–128. Schloss Dagstuhl - Leibniz-Zentrum für Informatik (2013), <https://doi.org/10.4230/LIPICs.TYPES.2013.107>
11. Bird, R.S., Paterson, R.: De Bruijn notation as a nested datatype. *J. Funct. Program.* 9(1), 77–91 (1999), <https://doi.org/10.1017/S0956796899003366>
12. Blanchette, J.C., Gheri, L., Popescu, A., Traytel, D.: Bindings as bounded natural functors. *Proc. ACM Program. Lang.* 3(POPL), 22:1–22:34 (2019), <https://doi.org/10.1145/3290335>
13. de Bruijn, N.G.: Lambda calculus notation with nameless dummies, a tool for automatic formula manipulation, with application to the Church–Rosser theorem. *Indag. Math* 75(5), 381–392 (1972), [https://doi.org/10.1016/1385-7258\(72\)90034-0](https://doi.org/10.1016/1385-7258(72)90034-0)
14. Charguéraud, A.: The locally nameless representation. *J. Autom. Reasoning* 49(3), 363–408 (2012), <https://doi.org/10.1007/s10817-011-9225-2>
15. Chlipala, A.: Parametric higher-order abstract syntax for mechanized semantics. In: Hook, J., Thiemann, P. (eds.) *International Conference on Functional Programming (ICFP) 2008*, pp. 143–156. ACM (2008), <https://doi.org/10.1145/1411204.1411226>
16. Despeyroux, J., Felty, A.P., Hirschowitz, A.: Higher-order abstract syntax in Coq. In: Dezanı-Ciancaglini, M., Plotkin, G.D. (eds.) *Typed Lambda Calculi and Applications (TLCA) 1995, LNCS*, vol. 902, pp. 124–138. Springer (1995), <https://doi.org/10.1007/BFb0014049>

17. Dybjer, P.: A general formulation of simultaneous inductive-recursive definitions in type theory. *J. Symb. Log.* 65(2), 525–549 (2000), <https://doi.org/10.2307/2586554>
18. Felty, A.P., Momigliano, A.: Hybrid: A definitional two-level approach to reasoning with higher-order abstract syntax. *J. Autom. Reasoning* 48(1), 43–105 (2012), <https://doi.org/10.1007/s10817-010-9194-x>
19. Felty, A.P., Momigliano, A., Pientka, B.: The next 700 challenge problems for reasoning with higher-order abstract syntax representations - part 2 - A survey. *J. Autom. Reason.* 55(4), 307–372 (2015), <https://doi.org/10.1007/s10817-015-9327-3>
20. Felty, A.P., Momigliano, A., Pientka, B.: An open challenge problem repository for systems supporting binders. In: Cervesato, I., Chaudhuri, K. (eds.) *Proceedings Tenth International Workshop on Logical Frameworks and Meta Languages: Theory and Practice, LFMTP 2015, Berlin, Germany, 1 August 2015. EPTCS*, vol. 185, pp. 18–32 (2015), <https://doi.org/10.4204/EPTCS.185.2>
21. Ferreira, F., Pientka, B.: Programs using syntax with first-class binders. In: Yang, H. (ed.) *Programming Languages and Systems - 26th European Symposium on Programming, ESOP 2017, Held as Part of the European Joint Conferences on Theory and Practice of Software, ETAPS 2017, Uppsala, Sweden, April 22–29, 2017, Proceedings. Lecture Notes in Computer Science*, vol. 10201, pp. 504–529. Springer (2017), https://doi.org/10.1007/978-3-662-54434-1_19
22. Fiore, M.P., Plotkin, G.D., Turi, D.: Abstract syntax and variable binding. In: *Logic in Computer Science (LICS) 1999*, pp. 193–202. IEEE Computer Society (1999), <https://doi.org/10.1109/LICS.1999.782615>
23. Gabbay, M., Pitts, A.M.: A new approach to abstract syntax involving binders. In: *Logic in Computer Science (LICS) 1999*, pp. 214–224. IEEE Computer Society (1999), <https://doi.org/10.1109/LICS.1999.782617>
24. Gabbay, M.J., Hofmann, M.: Nominal renaming sets. In: Cervesato, I., Veith, H., Voronkov, A. (eds.) *Logic for Programming, Artificial Intelligence, and Reasoning, 15th International Conference, LPAR 2008, Doha, Qatar, November 22–27, 2008. Proceedings. Lecture Notes in Computer Science*, vol. 5330, pp. 158–173. Springer (2008)
25. Gheri, L., Popescu, A.: A formalized general theory of syntax with bindings: Extended version. *J. Autom. Reason.* 64(4), 641–675 (2020), <https://doi.org/10.1007/s10817-019-09522-2>
26. Gordon, A.D., Melham, T.F.: Five axioms of alpha-conversion. In: von Wright, J., Grundy, J., Harrison, J. (eds.) *Theorem Proving in Higher Order Logics, 9th International Conference, TPHOLs'96, Turku, Finland, August 26–30, 1996, Proceedings. Lecture Notes in Computer Science*, vol. 1125, pp. 173–190. Springer (1996), <https://doi.org/10.1007/BFb0105404>
27. Gunter, E.L., Osborn, C.J., Popescu, A.: Theory support for weak higher order abstract syntax in Isabelle/HOL. In: Cheney, J., Felty, A.P. (eds.) *Logical Frameworks and Meta-Languages: Theory and Practice (LFMTP) 2009*, pp. 12–20. ACM (2009), <https://doi.org/10.1145/1577824.1577827>
28. Harper, R., Honsell, F., Plotkin, G.D.: A framework for defining logics. In: *Logic in Computer Science (LICS) 1987*, pp. 194–204. IEEE Computer Society (1987), <https://doi.org/10.1145/138027.138060>
29. Hofmann, M.: Semantical analysis of higher-order abstract syntax. In: *Logic in Computer Science (LICS) 1999*, pp. 204–213. IEEE Computer Society (1999), <https://doi.org/10.1109/LICS.1999.782616>

30. Johnstone, P.T.: Quotients of decidable objects in a topos. *Math. Proc. Cambridge Philosophical Society* 93, 409–419 (1983), <https://doi.org/10.1017/S0305004100060734>
31. Kaiser, J., Schäfer, S., Stark, K.: Binder aware recursion over well-scoped de bruijn syntax. In: Andronick, J., Felty, A.P. (eds.) *Proceedings of the 7th ACM SIGPLAN International Conference on Certified Programs and Proofs, CPP 2018*, Los Angeles, CA, USA, January 8-9, 2018. pp. 293–306. ACM (2018), <https://doi.org/10.1145/3167098>
32. Nipkow, T., Paulson, L., Wenzel, M.: *Isabelle/HOL — A Proof Assistant for Higher-Order Logic*, LNCS, vol. 2283. Springer (2002)
33. Norrish, M.: Recursive function definition for types with binders. In: Slind, K., Bunker, A., Gopalakrishnan, G. (eds.) *Theorem Proving in Higher Order Logics (TPHOLs) 2004*, LNCS, vol. 3223, pp. 241–256. Springer (2004), https://doi.org/10.1007/978-3-540-30142-4_18
34. Paulson, L.C.: The foundation of a generic theorem prover. *J. Autom. Reasoning* 5(3), 363–397 (1989), <https://doi.org/10.1007/BF00248324>
35. Pfenning, F., Elliott, C.: Higher-order abstract syntax. In: Wexelblat, R.L. (ed.) *Programming Language Design and Implementation (PLDI) 1988*, pp. 199–208. ACM (1988), <https://doi.org/10.1145/53990.54010>
36. Pfenning, F., Schürmann, C.: System description: Twelf—A meta-logical framework for deductive systems. In: Ganzinger, H. (ed.) *Conference on Automated Deduction (CADE) 1999*, LNCS, vol. 1632, pp. 202–206. Springer (1999), https://doi.org/10.1007/3-540-48660-7_14
37. Pientka, B.: Beluga: Programming with dependent types, contextual data, and contexts. In: Blume, M., Kobayashi, N., Vidal, G. (eds.) *Functional and Logic Programming (FLOPS) 2010*, LNCS, vol. 6009, pp. 1–12. Springer (2010), https://doi.org/10.1007/978-3-642-12251-4_1
38. Pitts, A.M.: Nominal logic, a first order theory of names and binding. *Inf. Comput.* 186(2), 165–193 (2003), [https://doi.org/10.1016/S0890-5401\(03\)00138-X](https://doi.org/10.1016/S0890-5401(03)00138-X)
39. Pitts, A.M.: Alpha-structural recursion and induction. *J. ACM* 53(3), 459–506 (2006), <https://doi.org/10.1145/1147954.1147961>
40. Pitts, A.M.: *Nominal Sets: Names and Symmetry in Computer Science*. Cambridge Tracts in Theoretical Computer Science, Cambridge University Press (2013)
41. Pitts, A.M.: Nominal Presentation of Cubical Sets Models of Type Theory. In: Herbelin, H., Letouzey, P., Sozeau, M. (eds.) *20th International Conference on Types for Proofs and Programs (TYPES 2014)*. Leibniz International Proceedings in Informatics (LIPIcs), vol. 39, pp. 202–220. Schloss Dagstuhl—Leibniz-Zentrum fuer Informatik, Dagstuhl, Germany (2015), <http://drops.dagstuhl.de/opus/volltexte/2015/5498>
42. Pollack, R., Sato, M., Ricciotti, W.: A canonical locally named representation of binding. *J. Autom. Reason.* 49(2), 185–207 (2012), <https://doi.org/10.1007/s10817-011-9229-y>
43. Popescu, A.: *Contributions to the Theory of Syntax with Bindings and to Process Algebra*. Ph.D. thesis, University of Illinois at Urbana-Champaign (2010), <https://www.andreipopescu.uk/pdf/thesisUIUC.pdf>
44. Popescu, A.: Renaming-Enriched Sets. *Arch. Formal Proofs* 2022 (2022), https://www.isa-afp.org/entries/Renaming_Enriched_Sets.html
45. Popescu, A., Gunter, E.L.: Recursion principles for syntax with bindings and substitution. In: Chakravarty, M.M.T., Hu, Z., Danvy, O. (eds.) *Proceeding of the 16th ACM SIGPLAN international conference on Functional Programming*,

- ICFP 2011, Tokyo, Japan, September 19-21, 2011. pp. 346–358. ACM (2011), <https://doi.org/10.1145/2034773.2034819>
46. Popescu, A., Gunter, E.L., Osborn, C.J.: Strong normalization for system F by HOAS on top of FOAS. In: Logic in Computer Science (LICS) 2010, pp. 31–40. IEEE Computer Society (2010), <https://doi.org/10.1109/LICS.2010.48>
 47. Popescu, A., Roşu, G.: Term-generic logic. *Theor. Comput. Sci.* 577, 1–24 (2015)
 48. Schäfer, S., Tebbi, T., Smolka, G.: Autosubst: Reasoning with de bruijn terms and parallel substitutions. In: Urban, C., Zhang, X. (eds.) Interactive Theorem Proving (ITP) 2015, LNCS, vol. 9236, pp. 359–374. Springer (2015), https://doi.org/10.1007/978-3-319-22102-1_24
 49. Schürmann, C., Despeyroux, J., Pfenning, F.: Primitive recursion for higher-order abstract syntax. *Theor. Comput. Sci.* 266(1-2), 1–57 (2001), [https://doi.org/10.1016/S0304-3975\(00\)00418-7](https://doi.org/10.1016/S0304-3975(00)00418-7)
 50. Stark, K.: Mechanising syntax with binders in Coq. Ph.D. thesis, Saarland University, Saarbrücken, Germany (2020), <https://publikationen.sulb.uni-saarland.de/handle/20.500.11880/28822>
 51. Staton, S.: Name-passing process calculi: Operational models and structural operational semantics. Tech. Rep. UCAM-CL-TR-688, University of Cambridge, Computer Laboratory (2007), <https://www.cl.cam.ac.uk/techreports/UCAM-CL-TR-688.pdf>
 52. Sun, Y.: An algebraic generalization of Frege structures—binding algebras. *Theor. Comput. Sci.* 211(1-2), 189–232 (1999)
 53. The Univalent Foundations Program: Homotopy Type Theory. Univalent Foundations of Mathematics. <https://homotopytypetheory.org/book>, Institute for Advanced Study (2013)
 54. Traytel, D., Popescu, A., Blanchette, J.C.: Foundational, compositional (co)datatypes for higher-order logic: Category theory applied to theorem proving. In: Logic in Computer Science (LICS) 2012, pp. 596–605. IEEE Computer Society (2012), <https://doi.org/10.1109/LICS.2012.75>
 55. Urban, C.: Nominal techniques in Isabelle/HOL. *J. Autom. Reason.* 40(4), 327–356 (2008), <https://doi.org/10.1007/s10817-008-9097-2>
 56. Urban, C., Berghofer, S.: A recursion combinator for nominal datatypes implemented in Isabelle/HOL. In: Furbach, U., Shankar, N. (eds.) International Joint Conference on Automated Reasoning (IJCAR) 2006, LNCS, vol. 4130, pp. 498–512. Springer (2006), https://doi.org/10.1007/11814771_41
 57. Urban, C., Berghofer, S., Norrish, M.: Barendregt’s variable convention in rule inductions. In: Pfenning, F. (ed.) Conference on Automated Deduction (CADE) 2007, LNCS, vol. 4603, pp. 35–50. Springer (2007), https://doi.org/10.1007/978-3-540-73595-3_4
 58. Urban, C., Kaliszyk, C.: General bindings and alpha-equivalence in Nominal Isabelle. *Logical Methods in Computer Science* 8(2) (2012), [https://doi.org/10.2168/LMCS-8\(2:14\)2012](https://doi.org/10.2168/LMCS-8(2:14)2012)
 59. Urban, C., Tasson, C.: Nominal techniques in Isabelle/HOL. In: Nieuwenhuis, R. (ed.) Conference on Automated Deduction (CADE) 2005, LNCS, vol. 3632, pp. 38–53. Springer (2005), https://doi.org/10.1007/11532231_4

APPENDIX

A More Example Functions Definable with the Renaming-Based Recursor

For each of the following examples, I will not indicate the required CE reset or BCE reset. Rather, we show the clauses describing the behavior of the defined function with respect to the constructors and (variable-for-variable) substitution, from which the corresponding structure on the target domain can be easily inferred (like we did in Section 5.3). In each case, the verification of the necessary properties to deploy our Theorem 11 is trivial.

1. The length of a term [39, Example 4.2], $\text{length} : \text{Term} \rightarrow \mathbb{N}$.

- $\text{length} (\text{Vr } x) = 1$
- $\text{length} (\text{Ap } t_1 t_2) = \max(\text{length } t_1, \text{length } t_2) + 1$
- $\text{length} (\text{Lm } x t) = \text{length } t + 1$
- $\text{length} (t [x \wedge y]) = \text{length } t$

2. Counting λ -abstractions [40, Example 8.18], $\text{clam} : \text{Term} \rightarrow \mathbb{N}$.

- $\text{clam} (\text{Vr } x) = 0$
- $\text{clam} (\text{Ap } t_1 t_2) = \text{clam } t_1 + \text{clam } t_2$
- $\text{clam} (\text{Lm } x t) = \text{clam } t + 1$
- $\text{clam} (t [x \wedge y]) = \text{clam } t$

3. Counting the number of free occurrences of a variable, $\text{cfv} : \text{Term} \rightarrow \text{Var} \rightarrow \mathbb{N}$.

- $\text{cfv} (\text{Vr } y) x = (\text{if } x = y \text{ then } 1 \text{ else } 0)$
- $\text{cfv} (\text{Ap } t_1 t_2) x = \text{cfv } t_1 x + \text{cfv } t_2 x$
- $\text{cfv} (\text{Lm } y t) x = (\text{if } x = y \text{ then } 0 \text{ else } \text{cfv } t x)$
- $\text{cfv} (t[z/y]) x = \begin{cases} \text{cfv } t x, & \text{if } x \notin \{y, z\} \\ \text{cfv } t x + \text{cfv } t y, & \text{if } x = z \neq y \\ 0, & \text{if } x = y \neq z \\ \text{cfv } t y, & \text{if } x = y = z \end{cases}$

4. Term-for-variable substitution [40, Example 8.18], $\llbracket _ / _ \rrbracket : \text{Trm} \rightarrow \text{Trm} \rightarrow \text{Var} \rightarrow \text{Trm}$.

- $(\text{Vr } y) \llbracket s/x \rrbracket = \begin{cases} s, & \text{if } x = y \\ \text{Vr } y, & \text{otherwise} \end{cases}$
- $(\text{Ap } t_1 t_2) \llbracket s/x \rrbracket = \text{Ap } (t_1 \llbracket s/x \rrbracket) (t_2 \llbracket s/x \rrbracket)$
- $(\text{Lm } y t) \llbracket s/x \rrbracket = \text{Lm } y (t \llbracket s/x \rrbracket)$ if $y \notin \{x\} \cup \text{FV } s$
- $t [y/z] \llbracket s/x \rrbracket = t \llbracket s/x \rrbracket [y/z]$ if $y, z \notin \{x\} \cup \text{FV } s$

(So here one applies the recursion principle with the Barendregt parameter X taken to be $\{x\} \cup \text{FV } s$.)

5. Defining (capture-avoiding) parallel term-form-variable substitution, $\llbracket _ \rrbracket : \text{Trm} \rightarrow (\text{Var} \rightarrow_{\text{fin}} \text{Trm}) \rightarrow \text{Var} \rightarrow \text{Trm}$, where $\text{Var} \rightarrow_{\text{fin}} \text{Trm}$ is the set of functions $\rho : \text{Var} \rightarrow \text{Trm}$ having $\text{supp } \rho$ finite (where $\text{supp } \rho$ consists of all variables x such that $\rho x \neq \text{Vr } s$), is similar:

- $(\text{Vr } y) \llbracket \rho \rrbracket = \rho y$
- $(\text{Ap } t_1 t_2) \llbracket \rho \rrbracket = \text{Ap } (t_1 \llbracket \rho \rrbracket) (t_2 \llbracket \rho \rrbracket)$
- $(\text{Lm } y t) \llbracket \rho \rrbracket = \text{Lm } y (t \llbracket \rho \rrbracket)$ if $y \notin \text{supp } \rho$
- $t [y/z] \llbracket \rho \rrbracket = t \llbracket \rho \rrbracket [y/z]$ if $y, z \notin \text{supp } \rho$ and $y, z \notin \text{FV } (\rho x)$ for all $x \in \text{Var}$.

(So here one applies the recursion principle with the Barendregt parameter X taken to be $\text{supp } \rho \cup \{\text{FV } (\rho x) \mid x \in \text{supp } \rho\}$.)

6. Counting the number of bound variables of a term [49,40], $\text{cbv} : \text{Trm} \rightarrow \mathbb{N}$. Note that the notion of semantic domain can be chosen flexibly, to also cover certain purely syntactic operators as well. A particular case is the function cbv that counts the number of bound variables of term. In his book [40], Pitts defines it following the approach of Schürmann et al. [49] as $\text{cbv } t = \text{cbvs } t (x \mapsto 0)$, where the auxiliary function $\text{cbvs} : \text{Trm} \rightarrow (\text{Var} \rightarrow \mathbb{N}) \rightarrow \mathbb{N}$ operates according the following recursive clauses:

- (1) $\text{cbvs } (\text{Vr } x) \xi = \xi x$
- (2) $\text{cbvs } (\text{Ap } t_1 t_2) \xi = (\text{cbvs } t_1 \xi) + (\text{cbvs } t_2 \xi)$
- (3) $\text{cbvs } (\text{Lm } x t) \xi = \text{cbvs } t (\xi \langle x := 1 \rangle)$

(The same complications with deploying the nominal recursor arise, and Pitts deploys a similar workaround.)

6. The η -reducibility testing example from the PHOAS paper [15, Fig.3], $\text{canEta} : \text{Term} \rightarrow \text{Bool}$ is defined by

$$\text{canEta } t = \begin{cases} \text{true} , & \text{if } t \text{ has the form } \text{Lm } x (\text{Ap } s x) \\ & \text{and } \text{canEta}' s (\top \langle x := \text{false} \rangle) = \text{true} \\ \text{false} , & \text{otherwise} \end{cases}$$

where \top is the environment sending all variables to true and $\text{canEta}' : \text{Term} \rightarrow (\text{Var} \rightarrow \text{Bool}) \rightarrow \text{Bool}$ is defined as an instance of the semantic domain interpretation pattern described in Section 5.3:

- (1) $\text{canEta}' (\text{Vr } x) \xi = \xi x$
- (2) $\text{canEta}' (\text{Ap } t_1 t_2) \xi = (\text{canEta}' t_1 \xi) \& (\text{canEta}' t_2 \xi)$
- (3) $\text{canEta}' (\text{Lm } x t) \xi = \text{canEta}' t (\xi \langle x := \text{true} \rangle)$

(canEta can of course be alternatively defined by other means, e.g., using the free-variable operator.)

B Full-Fledged Primitive Recursion

Theorem 11 restricts the recursive behavior to iteration, which allows the value of the defined function f on a term t to depend on the value of f on the components of t . For example, if t has the form $\text{Ap } t_1 t_2$, then $f t$ can depend on $f t_1$ and $f t_2$. This can routinely be extended to full primitive recursion, which additionally allows the dependence on the components themselves (not necessarily through f), e.g., on t_1 and t_2 . All the recursors recalled in Fig. 1 of the main paper admit full primitive recursion enhancements. My Theorem 11 is no exception—here is its enhancement, where I highlighted the additions:

A *full-recursion constructor-enriched substitutive set* (FRCE rerset for short) is a tuple $\mathcal{A} = (A, _[_/_/], \text{Vr}^A, \text{Ap}^A, \text{Lm}^A)$ where:

- $(A, _[_/_/])$ is a substitutive set
- $\text{Vr}^A : \text{Var} \rightarrow A$, $\text{Ap}^A : \text{Trm} \rightarrow A \rightarrow \text{Trm} \rightarrow A \rightarrow A$, $\text{Lm}^A : \text{Var} \rightarrow \text{Trm} \rightarrow A \rightarrow A$ are operators on A with arities matching those of the term constructors

such that the following properties hold for all $x, y, z \in \text{Var} \setminus X$, $t, t_1, t_2 \in \text{Trm}$ and $a, a_1, a_2 \in \text{Trm}$:

- (RS1) $(\text{Vr}^A x)[y/z] = \text{Vr}^A(x[y/z])$
- (RS2) $(\text{Ap}^A t_1 a_1 t_1 a_2)[y/z] = \text{Ap}^A(t_1[y/z])(a_1[y/z])(t_2[y/z])(a_2[y/z])$
- (RS3) if $x \notin \{y, z\}$ then $(\text{Lm}^A x t a)[y/z] = \text{Lm}^A x(t[y/z])(a[y/z])$
- (RS4) $(\text{Lm}^A x t a)[y/x] = \text{Lm}^A x t a$
- (RS5) if $z \neq y$ then $\text{Lm}^A x(t[z/y])(a[z/y]) = \text{Lm}^A y(t[z/y][y/x])(a[z/y][y/x])$

Theorem 12 Let X be a finite set and $\mathcal{A} = (A, _[_/_/], \text{Vr}^A, \text{Ap}^A, \text{Lm}^A)$ be a FRCE rerset. Then there exists a unique function $f : \text{Trm} \rightarrow A$ such that the following hold:

- (i) $f(\text{Vr } x) = \text{Vr}^A x$
- (ii) $f(\text{Ap } t_1 t_2) = \text{Ap}^A t_1(f t_1) t_2(f t_2)$
- (iii) $f(\text{Lm } x t) = \text{Lm}^A x t(f t)$ if $x \notin X$
- (iv) $f(t[y/z]) = (f t)[y/z]$ if $y, z \notin X$

C Alternative Definition of Nominal Sets

In the main paper, I focused on the swapping-based presentation of nominal sets. Here I recall an equivalent formulation based on permutations. The equivalence between the two formulations is described in detail in Pitts’s monograph [40, Section 6.1].

Let Perm denote the set of finite permutations (i.e., bijections of finite support) on the set of variables, namely $\{\sigma : \text{Var} \rightarrow \text{Var} \mid \{x \mid \sigma x \neq x\} \text{ finite}\}$. Let id denote the identity permutation. Let $x \leftrightarrow y$ denote the (x, y) -transposition, i.e., the permutation that takes x to y , y to x and every other variable to itself.

Let us call *Perm-nominal set* any pair $(A, _[_])$ where A is a set and $_[_] : A \rightarrow \text{Perm} \rightarrow A$ is an action on A of the permutation group Perm , i.e., it satisfies the following properties for all $a \in A$ and $\sigma, \sigma' \in \text{Perm}$:

- Identity: $a[\text{id}] = a$
- Compositionality: $a[\sigma][\sigma'] = a[\sigma \circ \sigma']$

Given two Perm-nominal sets $\mathcal{A} = (A, _[_])$ and $\mathcal{B} = (B, _[_])$, a *Perm-nominal morphism* $f : \mathcal{A} \rightarrow \mathcal{B}$ is a function $f : A \rightarrow B$ that commutes with the permutation operation, in that $(f a)[\sigma] = f(a[\sigma])$ for all $a \in A$ and $\sigma \in \text{Perm}$. Perm-nominal sets and Perm-nominal morphisms form a category denoted by $\underline{Nom}_{\text{Perm}}$.

Let $\mathcal{A} = (A, _[_])$ be a Perm-nominal set. The notion of finite support of an element $a \in A$ is defined similarly to that from nominal sets (described in Section 2.2), but using $a[x \leftrightarrow b]$ rather than $a[x \wedge y]$. In fact, it is easy to see that A together with the restriction of $_[_]$ to transpositions forms a nominal set. Let $G\mathcal{A}$ denote this nominal set. The notions of support and freshness in \mathcal{A} coincide with those in $G\mathcal{A}$; and any function $f : A \rightarrow B$ is a Perm-nominal morphism between \mathcal{A} and \mathcal{B} iff it is a nominal morphism between $G\mathcal{A}$ and $G\mathcal{B}$.

Conversely, let $\mathcal{A} = (A, _[_ \wedge _])$ be a nominal set. One can extend the swapping operator $_[_ \wedge _] : A \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow A$ to a permutation operator $_[_] : A \rightarrow \text{Perm} \rightarrow A$ by taking advantage of the fact that any permutation σ is decomposable into a sequence of transpositions, $\sigma = (x_1 \leftrightarrow y_1) \cdot \dots \cdot (x_n \leftrightarrow y_n)$. Namely, one defines $a[\sigma] = a[x_1 \wedge y_1] \dots [x_n \wedge y_n]$. Thanks to the nominal set properties, this definition is correct, in that it does not depend on representatives. Moreover, A together with the just defined $_[_]$ forms a Perm-nominal set. Let $H\mathcal{A}$ denote this Perm-nominal set. Again, the notions of support and freshness in \mathcal{A} coincide with those in $H\mathcal{A}$; and any function $f : A \rightarrow B$ is a nominal morphism between \mathcal{A} and \mathcal{B} iff it is a Perm-nominal morphism between $H\mathcal{A}$ and $H\mathcal{B}$.

Finally, the operators G and H are mutually inverse, and become mutually inverse functors when extended to be the identity on morphisms. The situation is summarized by the following theorem:

Theorem 13 [40, Theorem 6.1, Corollary 6.2]

- (1) The categories \underline{Nom} and $\underline{Nom}_{\text{Perm}}$ are isomorphic, via the functors $G : \underline{Nom} \rightarrow \underline{Nom}_{\text{Perm}}$ and $H : \underline{Nom}_{\text{Perm}} \rightarrow \underline{Nom}$ that are inverse to each other.
- (2) The functors G and H preserve the carrier set and the notions of support and freshness.

The above means that, for all intents and purposes (at least as far as my results in this paper are concerned), the two definitions of nominal sets (namely nominal sets and Perm-nominal sets) are equivalent.

D Substitutive Sets

Recall that the substitution operator I consider in the main paper is renaming, i.e., variable-for-variable substitution, $_[_/_] : \text{Term} \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow \text{Trm}$.

I will continue to refer to this as *renaming*, while calling the term-for-variable substitution *substitution* and denoting it by $_ \llbracket _ / _ \rrbracket : \text{Term} \rightarrow \text{Trm} \rightarrow \text{Var} \rightarrow \text{Trm}$.

I can use my characterization of the datatype of terms by means of renaming to obtain a characterization employing substitution. This does not seem to add practical value as a recursor, but may be of some theoretical interest as an equational characterization of terms by means of the constructors and substitution only.

A *substitutive set* is a triple $\mathcal{A} = (A, _ \llbracket _ / _ \rrbracket, \text{Vr}^A)$ where $_ \llbracket _ / _ \rrbracket : A \rightarrow A \rightarrow \text{Var} \rightarrow A$ and $\text{Vr}^A : \text{Var} \rightarrow A$ are operators that satisfy the following properties, where I write $_ \llbracket x/y \rrbracket$ instead of $_ \llbracket (\text{Vr}^A x)/y \rrbracket$

Identity: $a \llbracket x/x \rrbracket = a$

Idempotence: If $x \neq y \neq z$ then $a \llbracket (b \llbracket z/y \rrbracket) / y \rrbracket \llbracket x/y \rrbracket = a \llbracket (b \llbracket z/y \rrbracket) / y \rrbracket$

Chaining: If $y \neq x_2$ then $a \llbracket y/x_2 \rrbracket \llbracket x_2/x_1 \rrbracket \llbracket b/x_2 \rrbracket = a \llbracket y/x_2 \rrbracket \llbracket b/x_1 \rrbracket$

Commutativity: If $y_2 \neq y_1 \neq x_1 \neq x_2$ then

$$a \llbracket (b \llbracket y_2/y_1 \rrbracket) / x_1 \rrbracket \llbracket (c \llbracket x_2/x_1 \rrbracket) / y_1 \rrbracket = a \llbracket (c \llbracket x_2/x_1 \rrbracket) / y_1 \rrbracket \llbracket (b \llbracket y_2/y_1 \rrbracket) / x_1 \rrbracket$$

Note the difference from the rewrites discussed in the main paper: This time, since I axiomatize term-for-variable substitution, the second argument of the substitution operator is an element of the carrier set A rather than a variable. However, there is also an “embedding” Vr^A of variables into A —this suggests a monadic structure on A , though the initial model characterization will not need such a requirement.

Let $\mathcal{A} = (A, _ \llbracket _ / _ \rrbracket, \text{Vr}^A)$ be a substitutive set. If one define the freshness predicate similarly to how it was defined for substitutive sets (in Section 3), one obtains the following consequences of Idempotence, Chaining and Commutativity, which generalize natural properties connecting freshness with substitution for terms:

Prop 14 The following hold in any substitutive set $\mathcal{A} = (A, _ \llbracket _ / _ \rrbracket, \text{Vr}^A)$:

- If $x \neq y$ and $y \# b$ then $a \llbracket b/y \rrbracket \llbracket x/y \rrbracket = a \llbracket b/y \rrbracket$
- If $x_2 \# b$ then $a \llbracket x_2/x_1 \rrbracket \llbracket b/x_2 \rrbracket = a \llbracket b/x_1 \rrbracket$
- If $x \neq y$, $x \# a$ and $y \# b$ then $a \llbracket b/x \rrbracket \llbracket c/y \rrbracket = a \llbracket c/y \rrbracket \llbracket b/x \rrbracket$

A *constructor-enriched substitutive set* (*CE substitutive set* for short) is a tuple $\mathcal{A} = (A, _ \llbracket _ / _ \rrbracket, \text{Vr}^A, \text{Ap}^A, \text{Lm}^A)$ where:

- $(A, _ \llbracket _ / _ \rrbracket, \text{Vr}^A)$ is a substitutive set
- $\text{Ap}^A : A \rightarrow A \rightarrow A$ and $\text{Lm}^A : \text{Var} \rightarrow A \rightarrow A$ are operators on A

such that the following properties hold for all $a, a_1, a_2, b \in A$ and $x, y, z \in \text{Var}$:

- (S1) $(\text{Vr}^A x) \llbracket b/y \rrbracket = (\text{if } x = y \text{ then } b \text{ else } \text{Vr}^A x)$
- (S2) $(\text{Ap}^A a_1 a_2) \llbracket b/y \rrbracket = \text{Ap}^A (a_1 \llbracket b/y \rrbracket) (a_2 \llbracket b/y \rrbracket)$
- (S3) if $x \neq z$ then $(\text{Lm}^A x a) \llbracket (b \llbracket z/x \rrbracket) / y \rrbracket = (\text{if } x = y \text{ then } \text{Lm}^A x a \text{ else } \text{Lm}^A x (a \llbracket (b \llbracket z/y \rrbracket) / y \rrbracket))$
- (S4) if $z \neq y$ then $\text{Lm} x (a \llbracket z/y \rrbracket) = \text{Lm} y (a \llbracket z/y \rrbracket \llbracket y/x \rrbracket)$

The notion of *CE substitutive morphism* is defined as the expected: as a function between two CE substitutive sets that commutes with both substitution and the constructors. Let \underline{SSbs}_{CE} be the category of CE substitutive sets and morphisms.

Theorem 15 $(\text{Trm}, \underline{[_/_]}, \text{Vr}, \text{Ap}, \text{Lm})$ is the initial CE substitutive set, i.e., is the initial object in \underline{SSbs}_{CE} .

Proof idea. Let $\mathcal{A} = (A, \underline{[_/_]}, \text{Vr}^{\mathcal{A}}, \text{Ap}^{\mathcal{A}}, \text{Lm}^{\mathcal{A}})$ be a substitutive set. Defining $\underline{[_/_]} : A \rightarrow \text{Var} \rightarrow \text{Var} \rightarrow A$ by $a[y/z] = a[(\text{Vr}^{\mathcal{A}}y)/z]$ produces a substitutive set. Applying Theorem 8, one obtains a CE rerset morphism $f : \text{Trm} \rightarrow A$. By fresh induction on terms and using the properties of substitutive sets, one then proves that f commutes not only with renaming, but also with substitution—which makes it a CE substitutive morphism. Uniqueness holds immediately from the choice of f . \square